



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## 1. Identification of the Substance / Preparation and of the Company / Undertaking

### Product identifier

**Product Name** Windex Deicer -35 degree Windshield Washer Fluid

**Stock Numbers** 123225 / 123235 / 123237

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Windshield Deicer - NonAerosol

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Name** South/Win, Ltd  
**Supplier Address** 112 Maxfield Rd.  
Greensboro, NC 27405  
US

**Supplier Phone Number** Phone: (800) 648-4393  
Fax: (336) 398-5680

**Emergency Telephone Number** CHEMTREC: (800) 424-9300

## 2. Hazards Identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 3

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## GHS Label elements, including precautionary statements

### Emergency Overview

#### Signal Word

#### Danger

#### Hazard Statement:

- Harmful if swallowed
- Toxic if contact with skin
- Toxic if inhaled
- Causes damage to organs
- May cause damage to organs through prolonged or repeated exposure
- Flammable liquid and vapor



**Appearance** Purple

**Physical State** Liquid

**Odor** Mild Ammonia

#### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Wear protective gloves/protective clothing/eye protection/face protection  
Use only outdoors or in a well-ventilated area  
Do not breathe dust/fume/gas/mist/vapors/spray  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ ventilating/ lighting/ equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Keep cool

#### Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician  
Specific treatment (see supplemental first aid instructions on this label)

#### Skin

Call a POISON CENTER or doctor/physician if you feel unwell  
Wash contaminated clothing before reuse  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Rinse mouth



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## Fire

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

## Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## Unknown Toxicity

0.00406% of the mixture consists of ingredient(s) of unknown toxicity

## Other information

Harmful to aquatic life with long lasting effects

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

## Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

## 3. Composition / Information on Ingredients

Chemical Name	CAS No	Weight-%	Trade Secret
Methyl alcohol	67-56-1	15 - 40	*
Ethylene glycol	107-21-1	1-5	*
Ammonium hydroxide	1336-21-6	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. First Aid Measures

### First aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

	attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Skin Contact</b>	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and Effects**      Coughing and/ or wheezing. Difficulty in breathing.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician**      Treat symptomatically.

## 5. Fire-fighting Measures

### Suitable Extinguishing Media

Dry chemical, Carbon dioxide (CO<sub>2</sub>), water spray. Alcohol resistant foam.

### Unsuitable extinguishing media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## **Specific Hazards Arising from the Chemical**

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

### **Uniform Fire Code**

Toxic: Liquid  
Flammable Liquid: I-C

## **Hazardous Combustion Products**

Carbon oxides.

## **Explosion Data**

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** Yes.

## **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. Accidental Release Measures

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal Precautions**

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Full encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Stop leak if you can do it without risk.

#### **Other Information**

Water spray may reduce vapor; but may not prevent ignition in closed spaces.

### **Environmental Precautions**

#### **Environmental Precautions**

Prevent entry into waterways, sewers, basements or confined areas.

### **Methods and material for containment and cleaning up**

#### **Methods for Containment**

A vapor suppressing foam may be used to reduce vapors. Absorb with earth, sand or other non-combustible and transfer to containers for later disposal.



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

**Methods for cleaning up**

Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. Handling and Storage

**Precautions for safe handling**

**Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. Use only with adequate ventilation and in closed systems. Use personal protection equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

**Conditions for safe storage, including any incompatibilities**

**Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store away from other materials. Store locked up. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

**Incompatible Products**

None known based on information supplied.

## 8. Exposure Controls / Personal Protection

**Control parameters**

**Exposure Guidelines**



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl alcohol 67-56-1	STEL = 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 325 mg/m <sup>3</sup> STEL: 250 ppm
Ethylene glycol 107-21-1	Ceiling: 100 mg/m <sup>3</sup> aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m <sup>3</sup>	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

**Appropriate engineering controls**

**Engineering Measures**

Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**

None required for consumer use. If splashes are likely to occur. Tight sealing safety goggles.

**Skin and Body Protection**

None required for consumer use. Repeated or prolonged contact. Wear protective gloves and protective clothing. Anti-static boots.

**Respiratory Protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended. Do not breathe vapor or mist.

**9. Physical and Chemical Properties**



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## Physical and Chemical Properties

### Physical State

Liquid

### Appearance

Purple

### Color

No information available

### Odor

Mild Ammonia

### Odor Threshold

No information available

### Property

### Values

### Remarks Method

#### pH

9.8

None known

#### Melting / freezing point

No data available

None known

#### Boiling point / boiling range

78 °C / 172 °F

None known

#### Flash Point

29 °C / 84 °F

None known

#### Evaporation Rate

No data available

None known

#### Flammability (solid, gas)

No data available

None known

#### Flammability Limit in Air

##### Upper flammability limit

No data available

##### Lower flammability limit

No data available

#### Vapor pressure

No data available

None known

#### Vapor density

No data available

None known

#### Specific Gravity

No data available

None known

#### Water Solubility

Miscible in water

None known

#### Solubility in other solvents

No data available

None known

#### Partition coefficient: n-octanol/water

No data available

None known

#### Autoignition temperature

No data available

None known

#### Decomposition temperature

No data available

None known

#### Kinematic viscosity

No data available

None known

#### Dynamic viscosity

No data available

None known

#### Explosive properties

No data available

#### Oxidizing Properties

No data available

### Other Information

#### Softening Point

No data available

#### VOC Content (%)

No data available

#### Particle Size

No data available

#### Particle Size Distribution

## 10. Stability and Reactivity

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization





# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

Hazardous polymerization does not occur.

### Conditions to avoid

Excessive heat. Heat, flames and sparks.

### Incompatible materials

None known based on information supplied.

### Hazardous Decomposition Products

Carbon oxides.

## 11. Toxicological Information

### Information on likely routes of exposure

#### Product Information

#### Inhalation

Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components).

#### Eye Contact

Specific test data for the substance or mixture is not available.

#### Skin Contact

Specific test data for the substance or mixture is not available. Toxic in contact with skin. May be absorbed through the skin in harmful amounts. (based on components).

#### Ingestion

Specific test data for the substance or mixture is not available. May be harmful if swallowed. (based on components).

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol 67-56-1	= 5628 mg/kg ( Rat )	-	= 83.2 mg/L ( Rat ) 4 h
Ethylene glycol 107-21-1	= 4000 mg/kg ( Rat )		
Ammonium hydroxide 1336-21-6	= 350 mg/kg ( Rat )		



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## Information on toxicological effect:

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

**Reproductive Toxicity** No information available.

**STOT - single exposure** Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a single overexposure to this product. Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

**STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).

**Chronic Toxicity** No known effect based on information supplied. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Avoid repeated exposure. Prolonged exposure may cause chronic effects.

**Target Organ Effects** Respiratory system. Systemic Toxicity. Central Nervous System (CNS). Eyes. Gastrointestinal tract (GI). Skin.

**Aspiration Hazard** No information available.

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	292.00 mg/kg
ATEmix (dermal)	891.00 mg/kg (ATE)
ATEmix (inhalation-dust/mist)	1.49 mg/l
ATEmix (inhalation-vapor)	9.00 ATEmix

## 12. Ecological Information

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methyl alcohol 67-56-1		96h LC50: = 28200 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 19500 - 20700 mg/L (Oncorhynchus mykiss) 96h LC50: 18 - 20 mL/L (Oncorhynchus mykiss) 96h LC50: 13500 - 17600 mg/L (Lepomis macrochirus)	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	
Ethylene glycol 107-21-1	96h EC50: 6500 - 13000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 41000 mg/L (Oncorhynchus mykiss) 96h LC50: 14 - 18 mL/L (Oncorhynchus mykiss) 96h LC50: = 40761 mg/L (Oncorhynchus mykiss) 96h LC50: = 27540 mg/L (Lepomis macrochirus) 96h LC50: = 16000 mg/L (Poecilia reticulata) 96h LC50: 40000 - 60000 mg/L	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620./L 30 min	48h EC50: = 46300 mg/L
Ammonium hydroxide 1336-21-6		96h LC50: = 8.2 mg/L (Pimephales promelas)		48h EC50: = 0.66 mg/L

### Persistence and Degradability

No information available.



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## Bioaccumulation

Chemical Name	Log Pow
Methyl alcohol 67-56-1	-0.77
Ethylene glycol 107-21-1	-1.93

## Other adverse effects

No information available.

## 13. Disposal Considerations

### Waste treatment methods

#### Disposal methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

#### Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

#### US EPA Waste Number

D001

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol 67-56-1		Included in waste stream: F039		U154

#### California Hazardous Waste Codes

212

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Methyl alcohol 67-56-1	Toxic Ignitable
Ammonium hydroxide 1336-21-6	Toxic Corrosive

## 14. Transport Information



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## DOT

**Proper Shipping Name** CONSUMER COMMODITY  
**Hazard Class** 3  
**Description** CONSUMER COMMODITY, ORM-D  
**Emergency Response Guide Number** 131

## TDG

**UN-No.** UN1986  
**Proper Shipping Name** ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.  
**Hazard Class** 3  
**Subsidiary class** 6.1  
**Packing Group** III  
**Description** UN1986, ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(METHYL ALCOHOL, AMMONIUM HYDROXIDE ), 3(6.1), III

## MEX

**UN-No.** UN1986  
**Proper Shipping Name** ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.  
**Hazard Class** 3  
**Subsidiary class** 6.1  
**Packing Group** III  
**Description** UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(METHYL ALCOHOL, AMMONIUM HYDROXIDE ), 3(6.1), III

## ICAO

**UN-No.** UN1986  
**Proper Shipping Name** ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.  
**Hazard Class** 3  
**Subsidiary class** 6.1  
**Packing Group** III  
**Description** UN1986, ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(METHYL ALCOHOL, AMMONIUM HYDROXIDE ), 3(6.1), III

## IATA

**UN-No.** UN1986  
**Proper Shipping Name** ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.  
**Hazard Class** 3  
**Subsidiary class** 6.1  
**Packing Group** III  
**Description** UN1986, ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (METHYL ALCOHOL), 3 (6.1), III

## IMDG/IMO

**UN-No.** UN1986  
**Proper Shipping Name** ALCOHOLS, FLAMMABLE, TOXIC, N.O.S..  
**Hazard Class** 3  
**Subsidiary class** 6.1  
**Packing Group** III  
**EmS-No.** F-E, S-D  
**Description** UN1986, ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (METHYL ALCOHOL), 3 (6.1), III, FP 29C



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## RID

UN-No.	UN1986
Proper Shipping Name	ALCOHOLS FLAMMABLE, TOXIC, , N.O.S.
Hazard Class	3
Packing Group	III
Classification code	FT1
Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(METHYL ALCOHOL, AMMONIUM HYDROXIDE ), 3(6.1), III
ADR/RID-Labels	6.1

## ADR

UN-No.	UN1986
Proper Shipping Name	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.
Hazard Class	3
Packing Group	III
Classification code	FT1
Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(METHYL ALCOHOL, AMMONIUM HYDROXIDE ), 3(6.1), III
ADR/RID-Labels	6.1

## ADN

UN-No.	UN1986
Proper Shipping Name	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.
Hazard Class	3
Packing Group	III
Classification code	FT1
Special Provisions	274, 802
Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.(METHYL ALCOHOL, AMMONIUM HYDROXIDE ), 3(6.1), III
Hazard Labels	3 + 6.1
Limited Quantity	5 L
Ventilation	VE01, VE02

## 15. Regulatory Information

### International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	67-56-1	15 - 40	1.0
Ethylene glycol - 107-21-1	107-21-1	1 - 5	1.0
Ammonium hydroxide - 1336-21-6	1336-21-6	0.1 - 1	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium hydroxide 1336-21-6	1000 lb			X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl alcohol 67-56-1	5000 lb		RQ= 2270 kg final RQ RQ= 5000 lb final RQ
Ethylene glycol 107-21-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Ammonium hydroxide 1336-21-6	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ



# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California
C.I. Food red 15 - 81-88-9	Carcinogen
Methanol 67-56-1	Developmental
Ammonium Hydroxide 1336-21-6	Developmental

## US State Right-to-know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Methyl alcohol 67-56-1	X	X	X	X	X
Ethylene glycol 107-21-1	X	X	X	X	X
Ammonium hydroxide 1336-21-6	X	X	X	X	

## International Regulations

### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Methyl alcohol 67-56-1 ( 15 - 40 )		Mexico: TWA= 200 ppm Mexico: TWA= 260 mg/m <sup>3</sup> Mexico: STEL= 250 ppm Mexico: STEL= 310
Ethylene glycol 107-21-1 ( 1 - 5 )		Mexico: Ceiling 100 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

### Canada

#### WHMIS Hazard Class

B2 - Flammable liquid







# Safety Data Sheet

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

## 16. Other Information

NFPA	Health Hazards 3	Flammability 3	Instability 0	Physical and Chemical
HMIS	Health Hazards 3 *	Flammability 3	Physical Hazard 0	Personal Protection X

Chronic Hazard Star Legend \* - Chronic Health Hazard

Prepared By: Randy Boitz

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet